1998

Journal of Cardiopulmonary Rehabilitation Author Index

Ades, PA, 416
Avenal, P, 271
Baarends, EM, 23
Balady, GJ, 464
Bardon, D, 39
Barr, P, 32
Belliard, R, 209
Berrol, C, 228
Berry, MJ, 181
Branly, F, 277
Brawner, CA, 290
Brezinka, V, 445
Brice, G, 221
Brilla, LR, 295
Brown, CS, 37
Brunotte, F, 277
Burgess, JJ, 421
Busse, EF, 421
Caine, D, 295
Callaerts-Végh, Z, 450
Caplan, C, 228
Casillas, JM, 277, 408
Caves, R, 139
Charo, S, 60
Clarke, H, 216
Cohen, M, 277, 408
Cottrell, E, 37
DeGroot, DW, 145
Didier, JP, 277
Drimmer, AM, 113
Doyon, J-F, 432
Dubach, P, 450
Dulieu, V, 277
Dusseldorp, E, 445
Dzieken, G, 450
Eicher, JC, 277
Evenson, KR, 192
Faitel, KI, 290
Fardy, J, 216
Feeny, D, 95
Fernhall, B, 129
Fragnoli-Munn, K, 416
Gardner, JK, 458
Goebbels, V, 450
Gokce, N, 60
Gorman, P, 129
Gottlieb, M, 95
Guilfoyle, MJ, 105
Guyatt, G, 95
Haalboom, P, 32
Haefel, WE, 450
Haennel, RG, 421
Hall, LK, 9
Hauck, CA, 458
Herman, CE, 458
Janssen, PP, 23
Jennings, HS, 458
Jinno, S, 301
Jobin, J, 432
Jones, N, 95
Kaminsky, LA, 438
Katsura, H, 301
Kavanagh, J, 45, 209
Kertzer, R, 45
Keteyian, SJ, 290
Kida, K, 301
Kirby, B, 139
Klinger, TA, 458
Knutzen, KM, 295
Kostelnik, T, 290
Kudoh, S, 301
LaFontain, T, 52, 113
Langenderfer, B, 283
Laubach, CA, Jr, 458
Lavie, CJ, 17
LeBlanc, P, 432
Luepker, RV, 192
Maes, S, 445
Maillefert, JF, 277
Maltais, F, 432
Mandak, JS, 89
Matosevic, V, 209
McConnell, TR, 89, 458
McFarland, LD, 37
McKelvier, R, 216
Mertens, DJ, 45
Milani, J, 129
Milani, RV, 17
Miller, HS, 124
Mookerjee, S, 233
Mostert, R, 23
Myers, J, 450
Narsavage, GL, 105
Nomura, K, 301
Oldridge, N, 95
Olney, WB, 145
Patois-Vergès, B, 408
Patterson-Midgley, P, 401
Paup, D, 129
Peske, GW, 327
Pfister, T, 228
Porcari, J, 221
Proffitt, SM, 290
Quinn, TJ, 145
Rickman, LB, 290
Roitman, JL, 113
Rosamond, WD, 192
Rouhier-Marcer, I, 277
Ryan, G, 216
Schairer, JR, 290
Schmitz, D, 52
Schols, AMWJ, 23
Shapiro, EP, 37
Sharp, CT, 421
Shaw, DK, 263
Shephard, RJ, 45, 199, 209
Simard, A-A, 432
Simard, C, 432
Simard, P-M, 432
Sotile, WM, 124
Sparks, KE, 263
Steinke, EE, 401
Stephens, AB, 295
Stewart, KJ, 37
Streiner, D, 95
Stubbing, DG, 32
Taylor, R, 139
Terry, L, 221
Thacker, L, 209
Thomas, TR, 52
Vita, JA, 60
Vergès, BL, 408
Vroman, NB, 145
Walker, P, 277
Walschlager, SA, 181
Weaver, TE, 105
Weinhofer, JJ, 37
Welsch, M, 271
Wenk, M, 450
Whaley, MH, 438
Windeler, S, 290
Wolfe, JE, 277
Wood, RH, 271
Wood, WA, 271
Wouters, EFM, 23
Yamada, K, 301
Yan, P, 52
Young, H, 221
Ziogas, G, 52

1998

Journal of Cardiopulmonary Rehabilitation Subject Index

Abstracts, 68, 153, 236, 309, 467
  American Association of Cardiovascular and Pulmonary Rehabilitation Annual Meeting, 343
  Canadian Association of Cardiac Rehabilitation Annual Meeting, 383
Activity
  and stress and heart rate, 271
  and vitamin E status, 52
Acute myocardial infarction
  predictors of health-related quality of life with cardiac rehabilitation after, 95
  weight training after, 37, 243
Acute Myocardial Infarction Registry, Minnesota Heart Survey, 192
Aerobic fitness, in physicians, 216
Aerobic training
  resistive, in older coronary patients, 416
  response to, predicting, 45
Airflow limintation, chronic, PAIS-SR in, 32
American Association of Cardiovascular and Pulmonary Rehabilitation Annual Meeting, 327
  abstracts, 343
  Convention Program, 333
  1998 Program Committee, 329
Autogenic drainage, 283

Body composition, assessment methods for older men, 221
BSU/Bruce Ramp protocol, 438
Bus drivers, 199
  on-site evaluation of, 209
Bypass surgery, cardiac rehabilitation without exercise tests after, 458

Calf muscle, electrical stimulation of, 277
Caloric expenditure, during cardiac rehabilitation, 290
Canadian Association of Cardiac Rehabilitation Annual Meeting abstracts, 383
Capillarity, in COPD, 432
Cardiac disease
  body composition assessment methods for older men with, 221
  circuit weight training for patients with, 145
  elderly patients with, 124
Cardiac pacing, exercise and, 421
Cardiac rehabilitation
  caloric expenditure during, 290
  control of dyslipidemia after, 408
  exercise testing in, 464
  gender differences in psychosocial profiles at entry to, 445
  interval training in, 233
  predictors of health-related quality of life with, 95
  programs in managed care, 9
  utilization of, predictors of, 192
  without exercise tests, 458
Chest compression, high-frequency, with ThAIRapy vest, 283
Chronic airflow limintation, PAIS-SR in, 32
Chronic heart failure
  electrical stimulation in, 277
  pulmonary manifestations of, 89
Chronic obstructive pulmonary disease
  capillarity, 432
  exercise training and, research directions, 181
  muscle fiber-type characteristics, 432
  out-patient rehabilitation for, work efficiency in, 17
  perceived symptoms of, music and, 228
Circuit weight training, in cardiac patients, 145
Congestive heart failure
  nitrate elimination with, intensive physical training and, 450
  training response in, predicting, 45
Coping, helping elderly patients with, 124
Coronary heart disease
  on-site evaluation of bus drivers with, 209
  out-patient rehabilitation for, work efficiency in, 17
  resistive-aerobic training in older patients with, 416
  risk stratification, new model for, 113, 313
Coronary risk reduction, endothelial dysfunction and, 60
Counseling, sexual, 401

Drainage, autogenic, 283
Driving, after myocardial infarction, 199
Dyslipidemia, control of, 408

Editorials, 464
Elderly patients, 124
  exercise and hypotension in, 295
  men, body composition assessment methods for, 221
  resistive-aerobic training in, 416
Electrical stimulation, in chronic heart failure, 277
Endothelial dysfunction, and coronary risk reduction, 60
Endothelin-1, plasma levels, intensive physical training and, 450
Europe, pulmonary rehabilitation program survey, 301
Exercise
  caloric expenditure during, 290
  and estimating oxygen consumption in men, 129
  and hypotension, in elderly, 295
  music and, 228
  and pacemakers, 421
  risk stratification, new model for, 113, 313
  transtelephonic monitoring, 263
Exercise testing
  in cardiac rehabilitation, 464
  cardiac rehabilitation without, 458
Exercise training
  aerobic training response, predicting, 45
  circuit weight training, 145
  and COPD, research directions, 181
  interval training, 233
  and nitrate elimination, 450

resistive-aerobic training, in older coronary patients, 416
response to, predicting, 45
strength training, and orthostatic hypotension, in older adults, 295
weight training, after acute myocardial infarction, 37, 243

Fitness, aerobic, in physicians, 216
Flutter valve, 283

Gender differences, in psychosocial profiles, 445

Health-related quality of life, predictors of, 95
Heart disease
coronary. *see* Coronary heart disease
ischemic, activity, stress, and heart rate with, 271
Heart failure
chronic
electrical stimulation in, 277
pulmonary manifestations of, 89
training response in, predicting, 45
Heart rate, activity and, 271
High-frequency chest compression, with ThAIRapy vest, 283
Hypotension, exercise and, in elderly, 295

Interval training, in cardiac rehabilitation, 233
Intrapulmonary percussive ventilation, 283
Ischemic heart disease, activity, stress, and heart rate with, 271

Japan, pulmonary rehabilitation program survey, 301

Letters to the Editor, 313
Literature Update, 68, 153, 236, 309, 467
Lung disease
chronic. *See also* Chronic obstructive pulmonary disease
PAIS-SR in, 32
elderly patients with, 124

Managed care, cardiac rehabilitation programs, 9
Men
estimating oxygen consumption in, 129
older, body composition assessment methods for, 221
Mental stress, activity and, 271
Metabolic response, to self-paced 12-minute walking test, 23
Minnesota Heart Survey, Acute Myocardial Infarction Registry, 192
Mucus clearance therapy, review of, 283
Muscle fiber, in COPD, 432
Music, effects on exercise and perceived symptoms in COPD, 228
Myocardial infarction
acute
Acute Myocardial Infarction Registry, Minnesota Heart Survey, 192
predictors of health-related quality of life with cardiac rehabilitation after, 95
weight training after, 37, 243
cardiac rehabilitation without exercise tests after, 458
driving after, 199
quality-of-life measures for recovery after, 139
resistive-aerobic training in older coronary patients after, 416
sexual counseling after, 401

New Products and Services, 75, 160, 244, 315, 472
Nitrate elimination, and intensive physical training, 450
North America, pulmonary rehabilitation program survey, 301

Older patients. *See* Elderly patients
Orthostatic hypotension, strength training and, in older adults, 295
Outcomes measurement, 9
Outpatient rehabilitation
utilization of, predictors of, 192
work efficiency in, 17
Oxygen consumption, estimating, in men, 129

Pacemakers, exercise prescription with, 421
PAIS-SR. *See* Psychosocial Adjustment to Illness Scale-Self Report
Percussion and postural drainage, alternatives to, 283
PFSS. *See* Pulmonary Functional Status Scale
Physical activity, and stress and heart rate, 271
Physical training. *See also* Exercise training
intensive, and nitrate elimination, 450
Physicians, workload and aerobic fitness in, 216
Plasma, endothelin-1 levels, intensive physical training and, 450
Pollock, Michael L., 259
Positive expiratory pressure, 283
Products. *See* New Products and Services
Psychosocial Adjustment to Illness Scale-Self Report (PAIS-SR), in chronic airflow limitation, 32
Psychosocial profiles, gender differences in, 445
Pulmonary disease. *See also* Chronic obstructive pulmonary disease
elderly patients with, 124
Pulmonary Functional Status Scale (PFSS), 105
Pulmonary manifestations, of chronic heart failure, 89
Pulmonary rehabilitation program survey, 301

Quadriceps muscle, electrical stimulation of, 277
Quality of life, health-related, predictors of, 95
Quality-of-life, measures for assessment of recovery after myocardial infarction, 139

Ramp treadmills, BSU/Bruce Ramp protocol, 438
Recovery after myocardial infarction, quality-of-life measures for, 139
Research directions, exercise training and COPD, 181
Resistive-aerobic training, in older coronary patients, 416
Reviews, 72, 157, 240
Risk stratification, new model for, 113, 313

Self-paced 12-minute walking test, metabolic and ventilatory response to, 23
Sexual counseling, after myocardial infarction, 401
Skeletal muscle, fiber-type characteristics in COPD, 432
Strength training, and orthostatic hypotension, in older adults, 295
Stress, mental, activity and, 271
Surgery, bypass, cardiac rehabilitation without exercise tests after, 458

ThAIRapy vest, high-frequency chest compression with, 283
Tokyo, Japan, pulmonary rehabilitation program survey, 301
Transtelephonic exercise monitoring, 263
Treadmills
BSU/Bruce Ramp protocol, 438
self-paced 12-minute walking test, metabolic and ventilatory response to, 23

Ventilation
intrapulmonary percussive, 283
response to self-paced 12-minute walking test, 23
Vitamin E status, activity and, 52

Walking, self-paced 12-minute walking test, metabolic and ventilatory response to, 23
Weight training
after acute myocardial infarction, 37, 243
circuit, in cardiac patients, 145
Work efficiency, in out-patient rehabilitation, 17
Workload, and aerobic fitness in physicians, 216